

CLAIMS

We claim:

1. A method comprising the steps of:
- (a) providing a plurality of HTTP records accessible through an HTTP server, wherein at least one record includes data corresponding to operating data, wherein the operating data is operative to control operation of an automated transaction machine;
 - (b) accessing the one record data through the server with a computer in an automated transaction machine; and
 - (c) loading data corresponding to the operating data in a memory of the machine.
2. The method according to claim 1 wherein in step (a) a plurality of HTML documents are provided which are accessible through the server, and wherein the plurality of

slb4 records include the plurality of documents, and wherein step (b) comprises accessing a document with a browser operating in a computer of the automated banking machine.

3. The method according to claim 2 wherein the document includes instructions, wherein in step (c) the operating data is loaded in memory responsive to the instructions in the document.

4. The method according to claim 1 and prior to step (c) further comprising the step of providing to the server data representative of an identity of the machine, where in the record data accessed in step (b) is accessed responsive to the identity data.

5. The method according to claim 1 wherein step (a) comprises providing a plurality of records in a data store in operative connection with the server, wherein the records include operating data, wherein the operating data includes applets.

slb6 6. The method according to claim 1 wherein step (a) comprises providing a plurality of records in a data store in operative connection with the server, wherein the records include operating data, wherein the operating data includes instructions executable by a computer to access applets.

7. A system comprising:

an HTTP server, and a plurality records accessible through the server, at least one of the records including transaction machine operating data therein;

an automated transaction machine, the transaction machine including a computer, the computer including a memory; and

software executable in the computer, wherein the software is operative to access the one record and to store data corresponding to the machine operating data in the memory of the machine.

8. The system according to claim 7 wherein the transaction machine further comprises at least one transaction function device in operative connection with the computer, and wherein the transaction function device is changeable from a first condition to a second condition, and further comprising a second record accessible through the HTTP server, wherein the second record includes further machine operating data and wherein the software executable in the computer is further operative to access the second record and to store data corresponding to the further machine operating data in the memory responsive to a change in condition of the transaction function device.

9. The system according to claim 7 wherein the machine operating data includes an applet.

10. The system according to claim 7 wherein the machine operating data includes an instruction, and wherein the computer is operative responsive to operating data corresponding to the instruction in memory to access an applet from the HTTP server.

11. The system according to claim 7 and further comprising a data store in operative connection with the HTTP server, wherein the plurality of records are stored in the data store, and wherein the HTTP server includes a database server.

12. The system according to claim 7 wherein the automated transaction machine includes a plurality of transaction devices, and wherein the software executable in the computer includes a browser, and wherein the memory includes at least one document address, wherein the document address corresponds to at least one of the transaction devices in the machine, and further comprising a plurality of documents accessible through the HTTP server, wherein at least one document corresponding to the document address includes the operating data, and wherein the computer is operative to access the one document corresponding to the document address with the browser and to store data corresponding to the machine operating data in the accessed document in the memory of the machine.

13. The system according to claim 8 wherein the transaction devices include a sheet dispenser, and wherein a second of the documents accessible through the HTTP server includes transaction machine operating instructions to operate the sheet dispenser, wherein the software is

further operative to access the second document with the browser and operates the sheet dispenser in response to the transaction machine operating instructions.

SB⁶ 14. The system according to claim 7 and further comprising a network in operatively ~~connecting the computer and the HTTP server, wherein the computer is operative to access the~~ one record through the network.

15. The system according to claim 7 wherein the machine operating data includes Active-X code.

16. The system according to claim 7 wherein the machine operating data includes JAVA® code.

Add 7